VA-050322-PNET - PRICING		
Billable Item	**Unit of Measure**	**Rate ($)**
1. Installation, termination and testing of horizontal Category 5e & Category 6 copper cabling, including cost of incidental materials (J-supports, cable ties, cable management and routing hardware, jumper wire, etc.), per hour	HR	34.34
2. Category 5e cable (cable only), plenum-rated, per foot	FT	0.14
3. Category 5e cable (cable only), non-plenum-rated, per foot	FT	0.05
4. Category 5e UTP patch panel, 12 ports	EA	56.78
5. Category 5e UTP patch panel, 24 ports	EA	69.57
6. Category 5e UTP patch panel, 48 ports	EA	128.40
7. Category 5e outlet/connector, including bezels or other miscellaneous mounting hardware required to mount in faceplate	EA	2.66
8. Category 5e UTP patch cord, 1 meter	EA	0.67
9. Category 5e UTP patch cord, 2 meters	EA	0.88
10. Category 5e UTP patch cord, 3 meters	EA	1.02
11. Category 5e UTP patch cord, 5 meters	EA	2.83
12. Category 6 cable (cable only), plenum-rated, per foot	FT	0.26
13. Category 6 cable (cable only), non-plenum-rated, per foot	FT	0.11
14. Category 6 UTP patch panel, 12 ports	EA	60.68
15. Category 6 UTP patch panel, 24 ports	EA	121.35
16. Category 6 UTP patch panel, 48 ports	EA	242.41
17. Category 6 UTP patch cord, 1 meter	EA	1.84
18. Category 6 UTP patch cord, 2 meters	EA	1.95
19. Category 6 UTP patch cord, 3 meters	EA	2.38
20. Category 6 UTP patch cord, 5 meters	EA	3.44
21. Category 6 outlet/connector, including bezels and other miscellaneous mounting hardware required to mount in faceplate	EA	4.72
22. Single-gang faceplate, including blanks for unused ports, screws and all hardware required to mount to box or mounting bracket	EA	0.85
23. Double-gang faceplate, including blanks for unused ports, screws and all hardware required to mount to box or mounting bracket	EA	0.85
24. Single-gang mounting bracket, including all hardware required to flush-mount to existing sheetrock wall	EA	0.66
25. Double-gang mounting bracket, including all hardware required to flush-mount to existing sheetrock wall	EA	0.83
26. Installation, termination and testing of fiber optic cabling and innerduct, including cost of incidental materials (J-supports, cable ties, cable routing hardware, etc.), per hour	HR	34.34
27. Plenum-rated innerduct (duct only), per foot	FT	1.57

VA-050322-PNET - PRICING		
Billable Item	**Unit of Measure**	**Rate ($)**
28. 568SC fiber optic connector or other approved duplex Small Form Factor connector	EA	9.09
29. 6-fiber plenum-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.44
30. 12-fiber plenum-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.76
31. 24-fiber plenum-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	2.52
32. 6-fiber plenum-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.56
33. 12-fiber plenum-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.91
34. 24-fiber plenum-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	2.52
35. Riser-rated innerduct (duct only), per foot	FT	1.08
36. 6-fiber riser-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.41
37. 12-fiber riser-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.75
38. 24-fiber riser-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	1.92
39. 6-fiber riser-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.53
40. 12-fiber riser-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.94
41. 24-fiber riser-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	2.44
42. Fiber patch panel/cabinet, 12 port capacity, wall mount	EA	132.78
43. Fiber patch panel/cabinet, 24 port capacity, wall mount	EA	201.27
44. Fiber patch panel/shelf, 12 port capacity, rack mount	EA	148.33
45. Fiber patch panel/shelf, 24 port capacity, rack mount	EA	299.34
46. 62.5/125 micron optical fiber patch cord, duplex, 1 meter	EA	12.68
47. 62.5/125 micron optical fiber patch cord, duplex, 2 meters	EA	13.90
48. 62.5/125 micron optical fiber patch cord, duplex, 3 meters	EA	15.13
49. 62.5/125 micron optical fiber patch cord, duplex, 5 meters	EA	17.59
50. 50/125 micron laser-optimized optical fiber patch cord, duplex, 1 meter	EA	18.99
51. 50/125 micron laser-optimized optical fiber patch cord, duplex, 2 meters	EA	20.26
52. 50/125 micron laser-optimized optical fiber patch cord, duplex, 3 meters	EA	21.55

VA-050322-PNET - PRICING		
Billable Item	**Unit of Measure**	**Rate ($)**
53. 50/125 micron laser-optimized optical fiber patch cord, duplex, 5 meters	EA	24.13
54. Other cabling services, including cost of incidental materials (jumper wire, screws, connectors, "J" hooks, cable ties, cable routing hardware, etc.), per hour	HR	39.50
55. Category 3 backbone cable (cable only), riser-rated, 25-pair, per foot	FT	0.24
56. Category 3 backbone cable (cable only), riser-rated, 50-pair, per foot	FT	0.48
57. Category 3 backbone cable (cable only), riser-rated, 100-pair, per foot	FT	0.90
58. Category 3 backbone cable (cable only), riser-rated, 200-pair, per foot	FT	1.85
59. Category 3 backbone cable (cable only), riser-rated, 300-pair, per foot	FT	3.25
60. Category 3 backbone cable (cable only), plenum-rated, 25-pair, per foot	FT	0.40
61. Category 3 backbone cable (cable only), plenum-rated, 50-pair, per foot	FT	0.84
62. Category 3 backbone cable (cable only), plenum-rated, 100-pair, per foot	FT	1.70
63. Category 3 backbone cable (cable only), plenum-rated, 200-pair, per foot	FT	3.64
64. Category 3 backbone cable (cable only), plenum-rated, 300-pair, per foot	FT	6.24
65. Category 5e cable (cable only), riser-rated, 25-pair, per foot	FT	0.36
66. Category 5e cable (cable only), plenum-rated, 25-pair, per foot	FT	2.39
67. Equipment rack, hinged, wall-mount, 35" – 48" tall, pre-drilled, 19" TIA/EIA mounting	EA	122.23
68. Equipment rack, floor standing, 7' tall, pre-drilled, 19" TIA/EIA mounting	EA	108.86
69. Equipment rack, floor standing, 3' - 4' tall, pre-drilled, 19" TIA/EIA mounting	EA	100.58
70. 66M1-50 connecting block, with hinged cover, 89D brackets and all mounting hardware	EA	9.22
71. 110 wiring block system with legs, label strips, all required mounting hardware, etc., for minimum 48 pairs	EA	12.43
72. 8-foot tall by 4-foot wide trade size ¾ AC-grade void-free plywood backboard, fire-rated or painted on all sides with at least two coats of light-colored fire-resistant paint	EA	84.25